CA-C10L-SH-NC Product Description

A 10-pin female standard connector on one end of an 8-conductor round shielded twisted pair 24 AWG cable. This cable is primarily used with Avago/Agilent direct replacements that employ differential electrical outputs supplied with our PC5 cable driver *(https://www.usdigital.com/products/accessories/interfaces/cable-drivers/pc5/)*. The standard length is 1 ft., and available in 1 ft. increments up to 500 ft.

RoHS COMPLIANT

WARNING: This product can cause exposure to substances, such as *phthalate plasticizers*, known to the State of California to cause cancer and reproductive harm. For more information, go to oehha.ca.gov/proposition-65 *(https://oehha.ca.gov/proposition-65)*.

US DIGITAL Motion Control Products

1400 NE 136th Ave.
Vancouver, WA 98684
USA

info@usdigital.com
sales@usdigital.com
support@usdigital.com

Toll Free: **800.736.0194**
Worldwide: **360.260.2468**
Support: **360.397.9999**
Fax: **360.260.2469**

Specifications

PIN-OUT



PIN	DESCRIPTION	COLOR
1	-	-
2	Power	Orange / White Stripe
3	Ground	White / Orange Stripe
4	-	-
5	A- channel	White / Blue Stripe
6	A+ channel	Blue / White Stripe
7	B- channel	White / Green Stripe
8	B+ channel	Green / White Stripe
9	I- channel	White / Brown Stripe
10	I+ channel	Brown / White Stripe

Notes

- US Digital® warrants its products against defects in materials and workmanship for two years. See complete warranty

(https://www.usdigital.com/company/warranty) for details.

US DIGITAL Motion Control Products

1400 NE 136th Ave.
Vancouver, WA 98684
USA

info@usdigital.com
sales@usdigital.com
support@usdigital.com

Toll Free: **800.736.0194**
Worldwide: **360.260.2468**
Support: **360.397.9999**
Fax: **360.260.2469**