CA-CFR-PS-NC T7 PUR Shielded Cable with Leads



CA-CFR-PS-NC Product Description

This PUR (polyurethane) shielded cable has a T7 right angle connector at one end and unterminated wires at the other end. This cable is used with the RS232 or RS485 versions of US Digital's T7 Networked Absolute Inclinometer (https://www.usdigital.com/products/inclinometers/t7/).




WARNING: This product can cause exposure to substances, such as *phthalate plasticizers*, known to the State of California to cause cancer and reproductive harm. For more information, go to oehha.ca.gov/proposition-65 (https://oehha.ca.gov/proposition-65).

Specifications

PIN-OUT



| CA-CFR-PS-NC T7 PUR Shielded Cable with Leads



PIN	COLOR	DESCRIPTION
1	Shield	Shield
2	Red	+VCAN
3	Black	Ground
4	White	TXD / BUS+
5	Blue	RXD / BUS-




CA-CFR-PS-NC T7 PUR Shielded Cable with Leads

Notes

• US Digital® warrants its products against defects in materials and workmanship for two years. See complete warranty (https://www.usdigital.com/company/warranty) for details.

Configuration Options



PLEASE NOTE: This chart is for informational use only. Certain product configuration combinations are not available. Visit the CA-CFR-PS-NC product page (https://www.usdigital.com/products/CA-CFR-PS-NC) for pricing and additional information.

